

## ***Bicycle Unloading Procedures***

**1** Lower the support arm from your tire and secure it to the magnet attached to the rack.

**2** Unload your bicycle and raise the rack making sure the rack is locked in its upright position.


**3** Wave and smile at the driver to indicate that you're done unloading your bicycle and walk your bike to the curb. Wait for the bus to leave or walk your bicycle a

safe distance away from the bus before riding off into the sunset.



## ***General Rules***

- Bicyclists must use the front-loading bicycle racks.
- Bicycles may be loaded inside the bus only if the bicycle rack is full and there is room on the bus. When a bicycle is loaded inside the bus, it must be stowed so it does not block the aisleway.
- Mopeds or motorized bicycles are not permitted on the racks or inside the bus. Muddy bicycles are not permitted inside the bus.
- Tri Delta Transit is not responsible for damage to bicycles while on the transit system or at a bus stop.



For more information call or write:

**TRI DELTA TRANSIT**  
EASTERN CONTRA COSTA TRANSIT AUTHORITY  
801 Wilbur Ave.  
Antioch, CA 94509  
(925) 754-6622




## **Tri Delta Transit . . . We're Going Your Way!**

Tri Delta Transit allows bicycles on every route. All Tri Delta Transit fixed route buses are equipped with bicycle racks. It's easy and convenient to use our front loading bike racks.

Our racks are designed to keep your bike away from the bus and other bikes . . . and unloading takes less than 20 seconds!

If you're on your way to work, school or the bike trails, take the bus and you and your bike will get there together in style.



Bicyclists are responsible for loading, securing, and unloading their own bicycles. Simply follow the instructions on each bike rack.

## **Simple and Fast to Load and Unload**



If you have any questions, please ask your bus driver. Tri Delta Transit is making it easier to get where you want to go!

## **Bicycle Loading Procedures**

**1**

Release the bike rack from its upright position by pulling up on the lever and slowly lowering the rack. Release the lever and the rack will click into ready position. This can be done with one hand so you will not need to lean your bike against the bus.

**2**

Next, lift your bicycle onto the bike rack properly fitting the wheels into the slots clearly labeled for the front and rear tire.

**3**

Finally, raise the support arm off the rack and over the front tire. A spring will pull the arm down securely latching it to your bicycle. Now you're ready to board the bus. Relax and enjoy the ride!

